



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/052,114	01/17/2002	Levon A. Mitchell	2083.000200/P6639 1644	
7:	590 11/19/2004		EXAM	INER
B. NOEL KIVLIN			LEFLORE, LAUREL E	
MEYERTONS, HOOD, KIVILN, KOWERT & GOETZEL, P.C.		ART UNIT	PAPER NUMBER	
P.O. BOX 398		2673		

DATE MAILED: 11/19/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

M

		Application No.	Applicant(s)			
Office Action Summary		10/052,114	MITCHELL, LEVON A.			
		Examiner	Art Unit			
		Laurel E LeFlore	2673			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE N - Exten after: - If the - If NO - Failur Any r	DRTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Issions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period to the to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status		•				
1)[	Responsive to communication(s) filed on <u>07 O</u>	october 2004.				
2a)						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5)□ 6)⊠ 7)□	Claim(s) <u>2-4,7-9,13-17,29,34-36 and 39-41</u> is/4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed.  Claim(s) <u>2-4,7-9,13-17,29,34-36 and 39-41</u> is/Claim(s) is/are objected to.  Claim(s) are subject to restriction and/c	wn from consideration. are rejected.				
Applicati	on Papers					
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>17 January 2002</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 1.	e: a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. Sec tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority L	ınder 35 U.S.C. § 119					
a)(	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Burea See the attached detailed Office action for a list	ts have been received. ts have been received in Applicati ority documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
2) Notice 3) Information	et(s)  be of References Cited (PTO-892)  be of Draftsperson's Patent Drawing Review (PTO-948)  mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08  er No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:				

Art Unit: 2673

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
- 2. Claims 7-9, 13-17 and 39-41 are rejected under 35 U.S.C. 102(b) as being anticipated by DeMonte 4,897,652.
- 3. In regard to claim 7, DeMonte discloses a method for displaying information on a plurality of keys on a keyboard. See column 1, lines 36-38, disclosing, "Another object of the invention is to provide a keyboard using a plurality of keys having selectively activatable symbol display".

DeMonte further discloses receiving a request to change the configuration of the plurality of keys from a first configuration to a second configuration; determining information to display on each of the plurality of keys in the second configuration; and displaying the information on a surface of each of the plurality of keys. See figures 1, 4 and 5 and column 3, lines 9-29, disclosing, "in the present disclosure, the typewriter provides a selector 61 which supplies the control unit (CPU) 62 of the machine with a code indicative of the keyboard associated with the selected language A, B, . . . X... The selector code 61 causes activation of a transcoding routine which converts the position code in respect of the depressed key 20 into a machine code in respect of the symbol introduced. The circuit 50 in turn activates the chips 40 to display at the

Art Unit: 2673

displays 31 the symbols associated with each key 20 in the position which belongs to that symbol of the selected keyboard A, B, . . . X." Note that the the surface of each key (20) is operable to be depressed.

DeMonte further discloses that each of the plurality of keys includes a display panel. See figure 1 and column 2, lines 27-30, disclosing, "the cap 125, 25 is transparent or comprises a transparent portion 30 respectively. Fixed below the finger-operable portion of the cap 25, 125 is a liquid crystal display 31 (LCD)". Thus, displaying the information comprises activating one or more pixels of the display panel and displaying video on the display panel of the plurality of keys of the keyboard to display the information, since an LCD inherently has pixels and displays video.

- 4. In regard to claim 8, DeMonte discloses that the keyboard includes a configuration panel, wherein receiving the request to change the configuration of the plurality of keys comprises detecting a user selection of an option from the configuration panel. See rejection of claim 7 and note selector 61 depicted in figure 4.
- 5. In regard to claim 9, DeMonte discloses that receiving the request to change the configuration of the plurality of keys comprises receiving the request from a processor-based system coupled to the keyboard. See rejection of claim 7 and note CPU 62 depicted in figure 4.
- 6. In regard to claim 13, see rejection of claim 7. DeMonte discloses a keyboard comprising a plurality of keys (20), wherein a surface of each of the plurality of keys is operable to be depressed, wherein each of the plurality of keys comprises a surface (25) and a display panel (31) having one or more pixels located on the surface; a control

Art Unit: 2673

unit (figure 5) configured to cause a display of a first set of symbols on the plurality of keys in a first mode and a display of a second set of symbols on the plurality of keys in a second mode; and an input interface (keys 20) to receive video data (see figure 5).

- 7. In regard to claim 14, see rejection of claims 7 and 13.
- 8. In regard to claim 15, see rejection of claim 7.
- 9. In regard to claim 16, see rejection of claim 8.
- 10. In regard to claim 17, DeMonte discloses that the keyboard includes a character map stored in a memory and wherein the control unit is adapted to display the first set of symbols on the plurality of keys in the first mode and second set of symbols on the plurality of keys in the second mode based on the information stored in the character map. See figures 2 and 5 and column 3, lines 61-65, disclosing, "The circuit 50 is provided with memory locations A, B, . . . X where there are stored the bits which define the optical state desired for the individual areas 36 of each keyboard A, B, . . .

Χ."

- 11. In regard to claim 39, see rejection of claim 7.
- 12. In regard to claim 40, see rejection of claim 8.
- 13. In regard to claim 41, see rejection of claim 9.

## Claim Rejections - 35 USC § 103

- 14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2673

- 15. Claims 2-4, 29, 30, 34-36 and 43-46 rejected under 35 U.S.C. 103(a) as being unpatentable over DeMonte 4,897,651 in view of Litt et al. 4,752,772.
- 16. In regard to claim 2, Demonte discloses an invention similar to that which is claimed in claim 2. See rejection of claim 7 for similarities. DeMonte does not discloses that displaying the information further comprises displaying a Braille letter on each of the plurality of keys.

Litt discloses an invention in which a Braille letter is displayed in a keyboard key. See column 2, lines 53-55, disclosing, "a key on the standard keyboard…is modified to incorporate a mechanical Braille display."

Litt further teaches such a key in column 2, lines 45-52, disclosing, "we have eliminated the inherent inefficiencies associated with a separate Braille reading terminal by integrating the reading function into a key of the standard keyboard. As a consequence, a keyboard which incorporates the invention has led to a more effective terminal design for visually impaired users."

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the invention of DeMonte by having the information displayed on each of the plurality of keys be a Braille letter display, as in the invention of Litt. One would have been motivated to make such a change based on the teaching of Litt that such incorporation of a Braille leter into keyboard keys eliminated "the inherent inefficiencies associated with a separate Braille reading terminal" and leads "to a more effective terminal design for visually impaired users".

Art Unit: 2673

- 17. In regard to claim 3, see rejection of claim 2. Also see Litt column 2, lines 64-66, disclosing, "When a solenoid is activated, the pin connected thereto rises in the key causing the pin end to extend above the top surface of the key." The top surface of the key is a key cap (See figures 2 and 3, element 12 and column 4, lines 32-34) and thus, displaying information comprises raising one or more pins of the matrix of pins above the key cap to form Braille letters. The pins are formed in a matrix, as disclosed in column 2, lines 59-62, "The ends of the pins rest in holes which pass through the top of the key and which are arranged to yield a two column matrix".
- 18. In regard to claim 4, Litt discloses that a request is received to change the configuration of the display on the keys to a Braille configuration. See Litt column 3, lines 3-6, disclosing, "To use the key-embedded Braille display...interface circuitry...is used to generate a control signal which drives the solenoids." Thus, a control signal from interface circuitry serves as the request to change configuration.
- 19. In regard to claim 29, see rejection of claims 2 and 7.
- 20. In regard to claim 30, Litt discloses that the key comprises a housing for one or more pins of the matrix. See figures 2-4 and column 4, lines 35-36 and 40, disclosing, "Inside the keycap holder 14 is a cavity 18... Within the cavity 18 are eight pins 22."

  Thus, the keycap holder is a housing for the pins of the matrix. Litt et al. further discloses that the housing comprises an upper coil for causing the pins to rise above the top surface of the key. See figure 2-4 and column 5, lines 54-56, disclosing, "Activation of the solenoid 26 causes the corresponding pin 22 to rise in the holder 14 so that the

Art Unit: 2673

end 22a appears above the top surface 16 of the keycap 12." See element 51 of figure 2-4, depicting a spring (coil) included in the solenoid.

- 21. In regard to claim 34, see rejection of claims 2 and 7.
- 22. In regard to claim 35, see rejection of claim 3.
- 23. In regard to claim 36, see rejection of claim 4.
- 24. In regard to claim 43, see rejection of claims 2 and 8.
- 25. In regard to claim 44, see rejection of claims 2 and 9.
- 26. In regard to claim 45, see rejection of claims 2 and 8.
- 27. In regard to claim 46, see rejection of claims 2 and 9.
- 28. Claims 31 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over DeMonte 4,897,651 in view of Litt et al. 4,752,772 as applied to claims 29 and 30 above, and further in view of van Namen 5,896,076.
- 29. In regard to claims 31 and 32, DeMonte in view of Litt discloses an invention similar to that which is claimed in claims 31 and 32. See rejection of claim 30 for similarities. Also see figures 2-4, element 51 and column 5, line 64-67, disclosing a coil used to lower the pin, causing a top portion of the pin to fall to a position in which it is substantially aligned with the top surface of the key when the pin falls to a preselected level ("rest position"). DeMonte in view of Litt does not disclose within the solenoid an upper and lower coil adapted to raise the pin or that energizing the upper coil causes a magnetically movable object to rise below the pins and fall when the upper coil is not charged.

Art Unit: 2673

Van Namen discloses a solenoid containing two coils with magnetic operation.

See column 6, lines 43-48, which disclose "applying force to the armature...depends on the direction of the current in the coils." Thus, an armature (pin) can be moved with the magnetically utilizing the charging of coils.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the solenoid of DeMonte in view of Litt, making it a magnetically charged solenoid with two coils. One would have been motivated to make such a change based on the statement of Litt (see column 6, lines 45-49), "Although a linear solenoid actuating mechanism has been described herein, it is well know within the art that other alternative actuating mechanisms with appropriate connecting means could be substituted for linear solenoids and produce substantially the same results."

### Response to Arguments

- 30. Applicant has amended claim 7 to overcome the 35 USC 112, second paragraph, rejection of claim 7 in the paper dated 2 July 2004. The 35 USC 112, second paragraph, rejection of claim 7 is withdrawn.
- 31. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laurel E LeFlore whose telephone number is (703) 305-8627. The examiner can normally be reached on Monday-Friday 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on (703) 305-4938. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LEL

17 November 2004

BIPIN SHALWALA
SUPERVISORY PATENT EXAMINER

CENTER 2600